

AGA™

CORNUFÉ

TEST PORT GAS CAP PROTOCOL

Inspection Guide



COMPOSITION
BRANDS

MEMBERS OF THE COMPOSITION BRANDS LUXURY PORTFOLIO

AGA™

CORNUFÉ

Initial Inspection

LOCATE AND LOOK UP DUAL FUEL SERIAL NUMBER


First, locate the serial number on the exterior of the range factory packaging.

Then, enter the serial number into the form provided to determine whether a secondary inspection is required.

AGA™

AN AGA ELISE SERIAL NUMBER
TYPICALLY CONTAINS 12 TO 15 DIGITS.

AN AGA MERCURY SERIAL NUMBER
TYPICALLY CONTAINS 9 TO 10 DIGITS.



THESE ARE **NOT** THE SERIAL NUMBERS



CORNUFÉ

A CORNUFÉ SERIAL NUMBER
HAS 10 DIGITS,
STARTING WITH 7 OR 8.




Secondary Inspection

VERIFY TEST PORT GAS CAP WHILE RANGE IS STILL PACKAGED


If a secondary inspection is required, you must confirm the inclusion of a Test Port Gas Cap. **The Test Port Gas Cap area can be accessed without fully unpacking the range.** From the rear of the range, carefully cut the protective plastic from top to bottom on the side indicated for your specific model and size. Pull back the plastic only enough to visually confirm whether the Test Port Gas Cap is present.

WHAT WILL THE GAS REGULATOR VALVE AND TEST PORT GAS CAP LOOK LIKE?

TEST PORT GAS CAP INCLUDED



TEST PORT GAS CAP MISSING



AGA™

CORNUFÉ

Secondary Inspection

WHERE TO LOCATE TEST PORT GAS CAP



AGA ELISE 36
AGAEL361DF



AGA MERCURY 36
AGAMC36DF



CORNUFÉ 90
LC9

STOP! YOU MUST FIRST VERIFY THE SIZE OF THE RANGE.

AGA 36 INCH AND CORNUFÉ 90 CM MODELS

From rear of the range, carefully cut the protective plastic from top to bottom on the **RIGHT** side.

Locate the gas regulator valve; the Test Port Gas Cap is positioned adjacent to it.

Pull back the plastic only enough to visually confirm whether the Test Port Gas Cap is present.



Secondary Inspection

WHERE TO LOCATE TEST PORT GAS CAP



AGA ELISE 48
AGAEL481DF



AGA MERCURY 48
AGAMC48DF



CORNUFÉ 110
LC1

STOP! YOU MUST FIRST VERIFY THE SIZE OF THE RANGE.

AGA 48 INCH AND CORNUFÉ 110 CM MODELS

From rear of the range, carefully cut the protective plastic from top to bottom on the **LEFT** side.

Locate the gas regulator valve; the Test Port Gas Cap is positioned adjacent to it.

Pull back the plastic only enough to visually confirm whether the Test Port Gas Cap is present.

